

TRUVA SERIES

TRUVA | F-BSF



SEGASit ©

The leading Turkish brand of quality Auditorium, Theatre and Cinema Seating





BAYRAKTAR-BAYKAR Defense Industries AR-GE Center Auditorium Hall, Istanbul- Turkey
Model of Seat: TRUVA; Number of Seat: 644; Year of development: 2022

TRUVA series auditorium seats are the top seller, representing a bold and modern figure. Its dimensions guarantee comfort and livability. The series offers a luxurious look, maximum comfort, and function.

Its compact structure allows for ease of access and egress and the extensive backrest options ensure maximum comfort and function.

Designed to be comfortable and maintenance-free throughout its lifetime, this seat provides levels of comfort far beyond its size.






TRUVA theater seat not only has an eye-catching elegant looking but also has an ergonomic design that perfectly fits the position of the spectators.

TRUVA | F-BSF series is in line with the needs of the investor and the audience; It is enriched with lateral legs, fabric or leather upholstery.

The combination of design and comfort makes the series the ideal choice to equip Auditorium and Theater Halls, Conference and Convention Centers, Performing Arts Centers, Corporate and Public Building Halls, Education and School Halls.



DIMENSIONS (mm)



CHARACTERISTIC FEATURES

TRUVA | F-BSF

- (F) The lateral feet are fully upholstered with padded covers.
- (BSF) Both backrest and seat padding are fully upholstered with padded covers.

Dimensions

- Centre-to-Centre dimension is 55 cm.
- The nominal space for user is 48 cm.

Seat and Backrest units

- All paddings are produced with cold-molded CMHR polyurethane foam technology,
- Both backrest and seat padding has a carefully crafted ergonomic design, density 50-60 kg/m³.
- The seat padding is a single block of molded polyurethane foam that incorporates an internal metal frame structure and is supported with flat springs structure to provide sitting comfort long time.
- The fully upholstered backrest unit is made of an 18 mm thick MDF board, incorporates two open-cell polyurethane foam cushions which, due to their shape and composition, offer great back and lumbar support.
- Upholstered with padded cover, removable by means of a zipper.
- Tip-up seat folds automatically with an inside weight balance system. Totally silent and maintenance-free.

Optional

- **Controlled Slow Rising System** by means of silent, controlled slow movement with no bumps.
- The seat folds up automatically with controlled slow movement by a pneumatic piston mechanism located at the side panel. Totally silent and maintenance-free.

Armrests

- Fixed and shared armrest box in ergonomic design.
- Fully upholstered with padded cover.

Fabric Specification

- Abrasion rate Martindale: 60.000 cycles, Weight: 460 gr/m², 100% polyester.
- Non-flammability standard: ECE-R118, FMVSS 302, EN 1021-1/2 standards
- The back surface of the fabric is laminated with a 4 mm thick sponge that is laminated with flame lamination (glueless) technique.

Structure

- The lateral feet are single block units made of unified double 30 mm thick MDF boards designed and produced to provide durability and long life.
- The lateral legs are fully upholstered with padded covers.
- The lateral legs are joined to a steel base and fixed to the floor using metric screws or other suitable types of anchorage for each type of surface.
- The fully upholstered backrest unit is fixed to the lateral legs with a concealed metal slide insertion system that provided strong durability.
- The system is very resistant and ensures the perfect alignment of the backrests when forming a row.
- The metal parts are painted electrostatic powder paint. Coat thickness 80 micron ± 10.

Options

- Seat, row numbering and logo embroidery.
- Variety of foam density.
- Variety of fabric with abrasion, fading and non-flammability characteristics.
- Variety of high quality faux and genuine leather.

This brochure supersedes and replaces all previous issues.

All designs, images and illustrations contained within this brochure remain the copyright of SEGASit.

All trademarks, product names and codes detailed within this brochure are the property of SEGASit.

SEGASit ©

www.segasit.com